



Gebraseerde platenwisselaars snelkeuzetabel


Centrale verwarming - radiatoren 70/50°C – 40/60°C	
Vermogen kW	Type
5 tot 15 kW	VM 30/10
16 tot 30 kW	VM 30/20
31 tot 50 kW	VM 30/30
51 tot 70 kW	VM 30/30
71 tot 90 kW	VM 30/50
91 tot 120 kW	VM 30/50
121 tot 150 kW	VM 30/60
151 tot 200 kW	VM 30/80



Sanitair warm water bereiding 70/50°C – 10/65°C	
Vermogen kW	Type
5 tot 15 kW	VM 30/10
16 tot 30 kW	VM 30/20
31 tot 50 kW	VM 30/20
51 tot 70 kW	VM 30/30
71 tot 90 kW	VM 30/30
91 tot 120 kW	VM 30/40
121 tot 150 kW	VM 30/50
151 tot 200 kW	VM 30/60




Centrale verwarming – vloerververwarming warmtepomp 45/40°C – 25/30°C	
Vermogen kW	Type
5 tot 15 kW	VM 30/20
16 tot 30 kW	VM 30/30
31 tot 50 kW	VM 30/50
51 tot 70 kW	VM 85/30
71 tot 90 kW	VM 85/40
91 tot 120 kW	VM 85/50
121 tot 150 kW	VM 85/60
151 tot 200 kW	VM 85/80





Type	Artikelnr.	L (mm)	B (mm)	b (mm)	H (mm)	h (mm)	Gewicht (kg)	EPP- Isolatie
VM 30/10	VAU0301003	42	106	50	306	250	2,5	INCL.
VM 30/20	VAU0302003	66	106	50	306	250	3,4	INCL.
VM 30/30	VAU0303003	89	106	50	306	250	4,3	INCL.
VM 30/40	VAU0304003	112	106	50	306	250	5,3	INCL.
VM 30/50	VAU0305003	135	106	50	306	250	6,2	INCL.
VM 30/60	VAU0306003	158	106	50	306	250	7,1	INCL.
VM 30/80	VAU0308003	204	106	50	306	250	8,9	INCL.
VM 85/30	VAU0853003G2	85	271	198	532	460	21,4	INCL.
VM 85/40	VAU0854003G2	106	271	198	532	460	25,6	INCL.
VM 85/50	VAU0855003G2	128	271	198	532	460	29,8	INCL.
VM 85/60	VAU0856003G2	149	271	198	532	460	34,0	INCL.
VM 85/80	VAU0858003G2	192	271	198	532	460	42,4	INCL.

VM30 – G1"



VM85 – G2"





EPP-isolatie



Montagevoet VM30
10-30 platen: VAU0356030
40-60 platen: VAU0356060
80-100 platen: VAU0356100



Montagevoet VM85
VAU0850008